

A complete range
for any type of excavator

Blumaq Hydraulic Breakers



High-quality components for maximum performance.

Our Breakers offer unprecedented stable nitrogen pressure over time and provide the best power output performance.

Our breakers are manufactured and assembled in France. For their manufacture, best steels are selected combining the highest engineering standards.

LIGHT SERIES

Carrier weight range **0.7 – 12 ton**



Carrier weight range **65kg - 500 kg**



All Blumaq Hydraulic Breakers includes:

2 working tools / centralized greasing / Nitrogen-filled chamber. Preloaded / Mounting bracket (without working tool) / Steel spring protected hoses with quick connect coupling

Made by:




for Blumaq



MEDIUM-RANGE

Carrier weight range 730 kg - 1.120 kg



All Blumaq Hydraulic Breakers includes:

2 working tools / centralized greasing / Nitrogen-filled chamber. Preloaded / Mounting bracket (without working tool) / Steel spring protected hoses with quick connect coupling

HEAVY-RANGE

Carrier weight range 20 - 60 ton

2 AUTOMATIC SPEEDS



All Blumaq Hydraulic Breakers includes:

2 working tools / centralized greasing / Nitrogen-filled chamber. Preloaded / Mounting bracket (without working tool) / Steel spring protected hoses with quick connect coupling

Made by:



for Blumaq



HEAVY-RANGE ADVANCECarrier weight range **11 - 35 ton****1 SPEED****All Blumaq Hydraulic Breakers includes:**

2 working tools / centralized greasing / Nitrogen-filled chamber. Preloaded / Mounting bracket (without working tool) / Steel spring protected hoses with quick connect coupling

Made by:



for Blumaq



HEAVY-RANGE PLUSCarrier weight range **18 - 90 ton****15 AUTOMATIC SPEEDS**

B32HB
1.450 kg.



B45HB
2.547 kg.



B55HB
3.430 kg.



B65HB
5.589 kg.



B6000HB
6.200 kg.



B7000HB
7.754 kg.

All Blumaq Hydraulic Breakers includes:

2 working tools / centralized greasing / Nitrogen-filled chamber. Preloaded / Mounting bracket (without working tool) / Steel spring protected hoses with quick connect coupling

Made by:



for Blumaq

